



KORYO TYRES INDUSTRIAL (CHINA) LTD.
KORYO INTERNATIONAL INDUSTRIAL LIMITED

OFFICE: ROOM 1101-1105 SOPHIA INTERNATIONAL CENTER NO.2,
LUSHAN ROAD, HUANGDAO, QINGDAO, CHINA

TEL: 86-532-86760707, 86760708, 86760666, 86760123

FAX: 86-532-86760555

E-MAIL: export@koryotyre.com

WEB: <http://www.koryotyre.com>



CONTENTS

目录

- 02** 公司简介
Company Introduction
- 04** 荣誉资质
Honor Intelligence
- 05** 产品包装
Product Packing
- 06** 内胎产品介绍
TUBE Product Packing
- 12** 摩托车外胎
Exporting countries



公司
简介

Company
Introduction

青岛道安工贸有限公司一期投资1.2亿元，主要经营高质量丁基内胎。

公司位于青岛胶南黄山经济区道安路1号，占地33000平方米，建筑面积20000平方米。紧靠204国道和青兰高速（济青南线）黄山出口，距青岛机场30分钟路程，距青岛前湾港15公里，地理位置优越，交通便利。

公司引进全套韩国和台湾丁基胶内胎生产流水线，先进的生产工艺技术和检测设备。采用国际先进的质量管理理念，践行“学习创新，竞争共赢”的文化价值观，遵循ISO9001国际质量管理体系标准要求。始终坚持走“做高端精品”的路线，以确保生产的丁基内胎具有优越的保气性能和高速行驶时耐高温、耐老化、抗撕裂的优良性能。公司先后通过了中化联合质量认证中心的产品安全认证和中国质量认证中心（HQC）的ISO9001:2008质量管理体系认证。产品通过了印度“BIS”，印尼“SNI”，尼日利亚“SONCAP”，GB/T28001-2011 STANDARD, ISO/TS16949等质量认证。

“好马配好鞍，好车配道安”，道安内胎在国内为各大轮胎厂和高端轮胎用户配套，并出口到世界100多个国家和地区，深受国内外广大客户认可和信赖。

“相约道安，一生平安”，欢迎国内外宾客莅临道安指导工作，精诚合作，共赢未来！

KORYO INDUSTRIAL CO.,LTD

KORYO INDUSTRIAL CO.,LTD, total cost assets are RMB1.2 Billion (USD18 Million), and mainly produce high-quality tubes.

KORYO company is located in No.1 Koryo road, Jiao Nan Huang Shan Economic Zone, Qingdao, it covering 33,000 square meters, and construction area of 20,000 square meters. Close to Huang Shan exit of 204 national road and Qing-Lan highway, from Qingdao airport 30 minutes away, apart from Qingdao Qianwan port 15 kilometers, the location is super and the transportation is convenient.

KORYO company have imported new technology of butyl tubes production line from South Korea and Taiwan with high-tech advanced production technology and testing equipments. With adopting international advanced quality management concepts, practice the "learning and innovation, competition and win-win" cultural values, follow the ISO 9001 International Quality Management System Standards. Always stick to the " high-quality goods" route, make sure the production of butyl inner tube with superior protect gas performance and high security exercise of high temperature,aging resistance,anti-peel when you keep high speed.The company has taken the lead in passing the quality authentication center of sinochem joint product safety certification and China Quality Certification center (CQC) of ISO9001:2008 quality management system certification. The products have achieve through by the India “BIS” , Indonesia, "SNI", Nigeria "SONCAP", GB/T28001-2011 STANDARD, ISO/TS16949 and other quality certification.

"A good horse matches a good saddle, a good car matches KORYO," Koryo Tyres support for the major tire factory in China and high-quality. tire users, exported to more than 100 countries and regions. Be recognized and trusted by Domestic and International customers.

"Meet KORYO, safe life", welcome domestic and foreign guests visit the KORYO, sincere cooperation, win-win future!






荣誉
资质

Honorary
Qualification



产品
包装

Product
Packing





产品
介绍

Product
Introduction



60 SERIES PASSENGER CAR (RADIAL) 60系列轿车胎(子午线)

SIZE	VALVE	Q' TY/CTN REMARK	SIZE	VALVE	Q' TY/CTN REMARK
185/60R 13	TR13	40	225/60R 14	TR13	35
195/60R 13	TR13	40	P225/60R 14	TR13	35
P195/60R 13	TR13	40	P235/60R 14	TR13	35
205/60R 13	TR13	40	185/60R 15	TR13	25
P205/60R 13	TR13	40	195/60R 15	TR13	25
185/60R 14	TR13	35	P195/60R 15	TR13	25
P185/60R 14	TR13	35	205/60R 15	TR13	25
195/60R 14	TR13	35	P205/60R 15	TR13	25
P195/60R 14	TR13	35	215/60R 15	TR13	25
205/60R 14	TR13	35	P215/60R 15	TR13	25
P205/60R 14	TR13	35	P225/60R 15	TR13	25
215/60R 14	TR13	35	P235/60R 15	TR13	25

PASSENGER CAR (RADIAL) 轿车胎（子午线）

GROUP SIZE	TIRE SIZE APPLICATION	VALVE	Q' TY/CTN REMARK
ER10	145R10	TR13	45
DR12	125R12	TR13	40
ER12	135/145R12, 140/150R12	TR13	40
	145/70R 12, 155/70R12		
	135/145/155R12, 145/155/70R12		
	P155/80R12		
FR12	155/R12, 175/70R12 ZR70-12, P185/80R12	TR13	40
ER13	135/145R13, 145/70R13	TR13	40
	155/70R13, 140/150R13		
	145/155R13, 135/145/155R13		
	135R13		
FR13	155/165R13, 155/70R13	TR13	40
	175/70R13, 160/165R13		
	P155/P165/80R13, P160/175R13		
	AP78/BR78/AR70-13		
GR13	175/185R13, 185/70R13	TR13	40
	195/70R13, 170/180R13		
	CR78-13, CR70-13		
	175/185/195R13		
KR13	195/205R13, DR70/ER70-13	TR13	40
ER14	135/145R14, 155/70R14	TR13	35
	140/150R14		
FR14	155/165R14, 165/70R14, 160/170R14	TR13	35
	175/70R14, 155/165/175R14, P165/80R14		
	155/165/175R14, P165/80R14		
	AR78/BR78-14, 165/175R14		
GR14	175/185R14, 185/70R14	TR13	35
	195/70R14, 170/180R14		
	185/195R14, CR78/DR78-14		
	P175/P185/P195/75R14		

PASSENGER CAR (RADIAL) 轿车胎（子午线）

GROUP SIZE	TIRE SIZE APPLICATION	VALVE	Q'TY/CTN REMARK
KR14	195/250R14, 205/70R14	TR13	35
	215/70R14, DR70/ER70-1 4		
	FR70-14, ER78/FR78/GR78-14		
	P205/P215/70R14		
MR14	215/225R14, 215/235R14	TR13	35
	235R14, 235/70R14		
	H78/JR78/LR78/HR70/LR70-14		
DR15	125/135R15, 125R15	TR13	25
ER15	135R15, 135/145R15, 145/70R15	TR13	25
	155/70R15, 140/150R15		
	145/155R15		
FR15	155R15, 155/165R/15, 165/70R15	TR13	25
	165R15, 175/70R15		
	P165/80R15, 155/165/175R15		
GR15	175R15, 185R15, 175/185R15	TR13 TR15	25
	185/70R15, 195/70R15, 70/180R15		
	P185/P195/P205/75R15		
KR15	195R15, 205R15, 195/205R15	TR13 TR15	25
	215/70R15, 225/70R15, GR70-15		
	P205/P215/75R15, GR78-15		
	205/225/70R15		
MR15	215/225R15, 255/70R15, 235/75R15	TR13 TR15	25
	285/70R15, HR70/JR70-15		
	LR78-15, P235/75R15		
	235/245R15		
GR16	175/185R16	TR15	16
KR16	195/205R16, 205R16, 700/750-16	TR15/TR75A	16
MR16	215/225R 16	TR15	16

TRUCK & BUS (BIAS) 卡车胎和客车胎（斜交）

SIZE	VALVE	Q'TY/CTN REMARK	SIZE	VALVE	Q'TY/CTN REMARK
6.50-20	TR177A/TR15	15/17	10.00-22	TR78A/V3045	6
7.00-20	TR177A/TR15	12/15	11.00-22	TR78A/V3045	6
7.50-20	TR177A/TR15	12/15	11.00-24	TR179A/V3065	5
8.25-20	TR77A/V3045	10	12.00-24	TR179A/V3065	5
9.00-20	TR175A/T3045	8	13.00-24	TR179A/218	5
10.00-20	TR78A/V3045	7	14.00-24	TR179A/218	5
11.00-20	TR179A/V3065	6	10-22.5	TR300	7
12.00-20	TR179A/V3065	5	11-22.5	TR300	7
13.00-20	TR78A	6	12-22.5	TR300	7
14.00-20	TR78A	6	11-24.5	TR300	5
14.00-25	DG11C	3	16.00-25	DG11C	2

M/C TUBE

MODEL	VALVES	PCS/CTN	MODEL	VALVES	PCS/CTN
250-4	TR1	60	300-8	TR13	50
250-4	TR87/DIN7777	60	300-10	TR87	45
250-4	TR87	60	350-8	TR13	50
300/350-4	TR1	50	350-8	TR87	50
300/350-4	TR87/DIN7777	50	350-10	TR87	45
300/350-4	TR87	50	400-5	TR87	40
350/410-4	TR1	50	400-6	TR87	40
350/410-4	TR87	50	400-8	TR87	40
350-5	TR87	50	400-8	TR13	40
350-6	TR1	50	10*400-6	TR87	35
300-8	TR87	50	10*500-6	TR87	35



TIRE FLAPS 垫带

FTT RIRE SIZE	VALVE	Q'TY/CTN REMARK	FTT RIRE SIZE	VALVE	Q'TY/CTN REMARK
5.00-8	8-3.5(500/570-8)	20	8.25-20	20-7.4(650/700/825/900-20)	10
6.00-9	9-4.0(600/690-9)	20	9.00-20	20-8.0(650/700/825/900-20)	10
6.50-10	9-6.0(650/750-10)	20	10.00-20	20-8.0(10/11/1200-20)	10
7.50-10	9-6.0(650/750-10)	20	11.00-20	20-8.0(10/11/1200-20)	10
7.00-12	12-5.5(650/700/850-15)	20	12.00-20	20-8.6(10/11/1200-20)	10
6.50-15	15-6.8(650/700/750/825-15)	20	13.00-20	20-9.8(13/1400-20)	5
7.00-15	15-6.8(650/700/750/825-15)	12	14.00-20	20-9.8(13/1400-20)	5
7.50-15	15-6.8(650/700/750/825-15)	12	16.00-20/21	20-12.00	5
8.25-15	15-6.8(650/700/750/825-15)	12	10.00-22	20-8.2(10/11/1200-22)	8
9.00-15	15-7.9(900/1000/1100-15)	12	11.00-22	20-8.2(10/11/1200-22)	8
10.00-15	15-7.9(900/1000/1100-15)	12	11.00-24	24-8.6(11/1200-24)	5
11.00-15	15-7.9(900/1000/1100-15)	12	12.00-24	24-8.6(11/1200-24)	5
6.00-16	16-6.8(600/650/700/750/825-16)	12	13.00-24/25	24/25-10.0(13/1400-24)	5
6.50-16	16-6.8(600/650/700/750/825-16)	12	14.00-24/25	24/25-10.0(13/1400-24)	5
7.00-16	16-6.8(600/650/700/750/825-16)	12	700/750/825-145	700-14.5	15
7.50-16	16-6.8(600/650/700/750/825-16)	12	15.5-25	15.5/17.5-25	3
8.25-16	16-7.0(600/650/700/750/825-16)	12	17.5-25	15.5/17.5-25	3
6.50-20	20-6.7(650/700/825/900-20)	10	20.5-25	20.5/23.5-25	2
7.00-20	20-6.7(650/700/825/900-20)	10	23.5-25	20.5/23.5-25	2
			26.5-25	26.5/25	1




Valve dimensions can vary slightly according to valve manufactures.

TR13



TRJ4000
TUBE TYPE SPUD
ASSEMBLY SP 4000

TR75A
TR76A TR77A TR78A
TR175A TR177A TR179A






TR15



TR150A

TR135 TR150CW
TR135CW



JS75




TR218A

TR200A



TRJ1175C



V3-04-SERIES




V3-06-SERIES



TR87

JS87



JS89

JS185 JS244A



JS2

TR244



摩托车 | Motorcycle 外胎 | Tyres



002B
SIZE TT/TL
2.75-17
2.50-17



006B
SIZE TT/TL
2.75-17



007
SIZE TT/TL
2.25-16
2.50-17
2.50-18
2.75-14
2.75-17
3.00-16
3.00-17
3.00-18
3.50-16



009
SIZE TT/TL
2.50-17
2.75-17



011
SIZE TT/TL
2.25-17
2.50-17
2.50-18
2.75-17
2.75-18
3.00-18



012
SIZE TT/TL
3.00-16
2.75-17
3.00-17
2.50-17
2.50-18
2.75-18
3.00-18



017
SIZE TT/TL
2.50-17
3.00-17
3.00-18
3.25-18
3.50-18



021
SIZE TT/TL
3.00-17
3.00-18
2.75-18
3.25-18



037
SIZE TT/TL
3.50-8
3.50-10







073
SIZE TT/TL
4.10-18



078
SIZE TT/TL
90/90-17
80/90-17
100/90-17
110/90-17
120/80-17
130/80-17
80/90-18
90/90-18
90/90-19
4.10-18
2.75-21



081
SIZE TT/TL
2.50-17
3.00-17
2.75-17



043
SIZE TT/TL
4.00-8
4.00-10



018
SIZE TT/TL
3.00-18
3.25-18
3.50-18
100/90-18
90/90-18



022
SIZE TT/TL
2.75-17
2.75-18
3.25-16



083
SIZE TT/TL
3.00-17
3.00-18



056
SIZE TT/TL
3.00-17
3.00-18
4.10-18
2.75-21



057
SIZE TT/TL
3.00-18



029
SIZE TT/TL
60/80-17
70/80-17
80/80-17
60/90-17
70/90-17
80/90-17
60/70-17
90/80-18
80/80-18
70/80-18
2.75-17
2.75-18
2.50-18



024
SIZE TT/TL
80/100-14
2.50-17
2.75-17
3.00-18



032
SIZE TT/TL
110/90-16
110/90-17
2.75-18
3.00-18
2.75-17
130/60-13
110/90-18
100/90-17
130/90-10
100/90-18



055
SIZE TT/TL
3.00-17
3.00-18
2.75-18



058
SIZE TT/TL
3.00-17
3.00-18



067B
SIZE TT/TL
2.50-18
3.00-17



033
SIZE TT/TL
110/90-13
130/60-13
130/70-17
130/90-15
140/70-17



001
SIZE TT/TL
50/90-14
60/90-14
70/90-14
80/90-14
80/80-14
90/80-14
90/70-18
60/70-17
60/80-17
70/80-17
70/80-18
80/80-18
90/80-18
80/80-17

90/80-17
60/90-17
2.75-14
70/80-14
2.50-18
70/90-17
80/70-17
80/90-17
80/90-17
80/100-14
100/80-17
50/100-17

50/90-17
50/80-17
130/80-17
130/70-17
110/80-17
110/70-17
90/90-17
70/60-17
45/90-17



006
SIZE TT/TL
2.25-17
2.50-17
2.75-17



061
SIZE TT/TL
50/90-14
60/90-14
70/90-14
80/90-14
80/80-14
90/80-14
45/90-17
50/100-17
60/80-17
60/90-17
70/80-17

80/80-17
80/100-14
60/80-14
70/80-14
70/90-17
2.75-17
130/60-13
3.00-18
80/90-17
90/80-17



047B
SIZE TT/TL
2.50-17
2.75-17
2.75-18
3.00-16
3.00-17
3.00-18
3.25-16
3.25-17



049
SIZE TT/TL
2.50-17
3.00-17
3.00-18
3.25-18
3.50-18



014
SIZE TT/TL
90/90-19
110/90-17



016
SIZE TT/TL
2.75-17
3.00-17
3.00-18

